

**Listing of Claims:**

1. (currently amended) A remote control for an interactive television system, the remote control comprising:

a memory to store a list of contacts, each contact being represented by an address for establishing communication with the contact via the interactive television system ~~and a picture for selecting the contact;~~

a display device to display at least a portion of the ~~pictures representing~~ contacts;

a plurality of user controls to receive a user selection of ~~a picture representing~~ a particular contact from the list, the user controls further being to remotely operate the interactive television system; ~~and~~

a wireless transmitter to transmit the address corresponding to the selected contact to the interactive television system to initiate communication between a user and the selected contact; and

a single button to selectively add a new contact from a displayed list to the contact list without requiring the user to manually enter information about the new contact.

2. (original) The remote control of claim 1, wherein the display device comprises a liquid crystal display (LCD).

3. (previously presented) The remote control of claim 1, further comprising:

a microphone to capture a first audio signal for transmission to the interactive television system via the wireless transmitter.

4. (previously presented) The remote control of claim 3, further comprising:

a wireless receiver to receive a second audio signal; and  
a speaker to generate audible output from the second audio signal.

5. (previously presented) The remote control of claim 4, wherein the speaker and the microphone are further to operate simultaneously to provide two-way audio communication with the contact via the interactive television system.

6. (original) The remote control of claim 5, wherein at least one address comprises a network address.

7. (original) The remote control of claim 6, wherein the network address is selected from the group consisting of an Internet Protocol (IP) address, a telephone address, and a Media Access Control (MAC) address.

8. (original) The remote control of claim 7, wherein the network address designates a second interactive television system.

9. (previously presented) The remote control of claim 3, further comprising:

a storage component to store at least one digitized verbal identifier for at least one contact of the list of contacts; and

a voice recognition component to receive and digitize a verbal expression from the user, to compare the digitized verbal expression with the digitized verbal identifier, and to designate the contact with a digitized verbal identifier that matches the digitized verbal expression as the selected contact.

10. (previously presented) The remote control of claim 1, further comprising:

a contact entry component to receive a user selection of a new contact to be entered into the list of contacts.

11. (previously presented) The remote control of claim 10, wherein the user controls are further to permit entry a new contact into the list of contacts stored in the memory.

12. (previously presented) The remote control of claim 11, wherein the user controls are further to permit manual entry the new contact.

13. (previously presented) The remote control of claim 10, wherein the user controls are further to permit selection of a contact from a list being displayed by the interactive television system as the new contact.

14. (previously presented) The remote control of claim 10, wherein at least one user control is to permit selection a contact from a list of contacts with whom the user has previously communicated as the new contact.

15. (previously presented) The remote control of claim 10, wherein the user controls are to permit reception of the new contact from a list stored in an external electronic device.

Claims 16-19 (cancelled)

20. (currently amended) A system for providing two-way communication using an interactive television system, the system comprising:

a remote control to control operation of the interactive television system, the remote control further comprising a plurality of user controls to receive a user selection of a contact from a list of contacts, each contact having an associated address for establishing two-way communication with the contact, the remote control further comprising a wireless transmitter to transmit the address corresponding to the selected contact;

a set top box having a wireless receiver for receiving the address corresponding to the selected contact from the remote control, the set top box for establishing two-way communication with the selected contact via the interactive television system; and

an output device for generating television audio output, wherein the remote control comprises an input device for capturing a first audio signal including both a user's voice and the television audio output, and wherein the set top box comprises a noise cancellation component to substantially cancel the television audio output from the captured first audio signal and pass the user's voice by obtaining a television audio output signal directly from the set top box before being reproduced by the output device and removing the television audio output signal from the captured first audio signal.

21. (previously presented) The system of claim 20, wherein the input device is a microphone to capture the user's voice for transmission to the set top box via the wireless transmitter, the remote control further comprising:

a wireless receiver to receive a second audio signal; and

a speaker to generate audible output from the second audio signal.

22. (previously presented) The system of claim 21, wherein the speaker and the microphone are to operate simultaneously to provide two-way audio communication with the contact via the interactive television system.

23. (previously presented) The system of claim 20, wherein the remote control further comprises a memory to store the list of contacts.

24. (previously presented) The system of claim 23, wherein the remote control further comprises a display device to display at least a portion of the list of contacts.

25. (previously presented) The system of claim 20, wherein the set top box further comprises:

a microphone to capture the user's voice; and

a speaker to generate audible output from a second audio signal.

26. (previously presented) The system of claim 25, wherein the speaker and the microphone are to operate simultaneously to provide two-way audio communication with the contact via the interactive television system, through the set top box.

27. (previously presented) The system of claim 26, wherein the set top box further comprises a memory to store the list of contacts.

28. (original) The system of claim 27, wherein the contacts are displayed on a television of the interactive television system.

29. (currently amended) A system for providing two-way communication using an interactive television system, the system comprising:

a remote control to control operation of the interactive television system, the remote control comprising a storage component to store a list of contacts, each contact having an associated address for establishing communication with the contact via the interactive television system; a display component to display at least a portion of the list of contacts; a user selection component to receive a user selection of a contact from the list; a transmission component to transmit the address corresponding to the selected contact to the interactive television system to initiate communication between a user and the selected contact; and a contact entry component to display a list of potential contacts to be added to the list of contacts, allow a user to navigate the list of potential contacts, and, in response to activation of a single button on the remote control, receive a user selection[[s]] of a new contact[[s]] to be entered into the list of contacts.

Claim 30 (cancelled)

31. (previously presented) The system of claim 29, wherein the contact entry component further comprises a manual entry component to receive a new contact manually entered by the user.

32. (previously presented) The system of claim 29, wherein the contact entry component further comprises a displayed list selection component to receive a new contact from a list displayed by the interactive television system.

33. (previously presented) The system of claim 29, wherein the contact entry component further comprises a past/present communication selection component to receive a new contact selected from the group consisting of a contact with whom communication is presently occurring over the interactive television system and a contact with whom communication has previously occurred over the interactive television system.

34. (previously presented) The system of claim 29, wherein the contact entry component further comprises an external receipt component to receive a new contact from an external electronic device.

35. (previously presented) The system of claim 29, further comprising:  
a set top box to receive the address corresponding to the selected contact from the remote control and to initiate communication between the user and the selected contact.

36. (previously presented) The system of claim 35, wherein the set top box comprises a broadband communication component to initiate communication with the selected contact via a second interactive television system.



37. (previously presented) The system of claim 35, wherein the set top box comprises an Internet communication component to initiate communication with the selected contact via the Internet.

38. (previously presented) The system of claim 35, wherein the set top box comprises a telephone network component to initiate communication with the selected contact via a telephone network.

39. (previously presented) The system of claim 35, wherein the interactive television system comprises an output device for generating television output, wherein the remote control comprises an input device for capturing an audio signal including the television output and a user's voice, and wherein the set top box comprises a noise cancellation component to cancel the television output from the captured audio signal and pass the user's voice.

40. (previously presented) The system of claim 35, wherein the interactive television system comprises an output device for generating television output, wherein the remote control comprises an input device for capturing an audio signal including the television output and a user's voice, and wherein the set top box comprises an output suppression component to suppress the television output when the input device is capturing the audio signal.

41. (currently amended) A method of providing two-way communication over an interactive television system, the interactive television system including a remote control to control operation of the interactive television system, the remote control having a memory, a display device, a plurality of user controls, and a wireless transmitter, the method comprising:

storing a list of contacts in the memory, each contact of the list of contacts having an associated address, for establishing communication with the contact via the interactive television system;

displaying at least a portion of the contacts of the list of contacts on the display device;

receiving a user selection of a contact from the list; and

transmitting the address associated with the selected contact to the interactive television system to initiate communication between the user and the selected contact; and

displaying a list of potential contacts to be added to the contact list;

allowing a user to navigate the list of potential contacts; and

receiving at least one user selection of a new contact from the list of potential contacts user to form add to the [[a]] list of contacts in response to activation of a single button on the remote control.

42. (original) The method of claim 41, further comprising:

utilizing the remote control to capture audible input and generate audible output to provide two-way communication via the interactive television system through the remote control.

43. (original) The method of claim 41, wherein at least one address comprises a network address.

44. (original) The method of claim 43, wherein the network address is selected from the group consisting Internet Protocol (IP) addresses, telephone addresses, and Media Access Control (MAC) addresses.

45. (original) The method of claim 43, wherein the network address designates a second interactive television system.

46. (original) The method of claim 41, wherein receiving a user selection of a contact comprises:

receiving a verbal expression from the user;

digitizing the verbal expression;

comparing the digitized verbal expression to a plurality of digitized verbal identifiers contained in the memory, each digitized verbal identifier corresponding to a contact of the list of contacts; and

designating a contact with a digitized verbal identifier that matches the digitized verbal expression as the selected contact.

47. (original) The method of claim 41, wherein receiving a user selection of a contact comprises:

receiving a selection from the user via the user controls to designate the selected contact.

Claim 48 (cancelled)

49. (previously presented) The method of claim 41, wherein receiving at least one selection of a new contact from the user comprises:

receiving a new contact manually through the user controls.

50. (previously presented) The method of claim 41, wherein receiving at least one selection of a new contact from the user comprises:

receiving a selection of a contact from a list being displayed by the interactive television system.

51. (previously presented) The method of claim 41, wherein receiving at least one selection of a new contact from the user comprises:

receiving a selection of a contact selected from the group consisting of a contact with whom communication is presently occurring over the interactive television system, and a contact with whom communication has previously occurred over the interactive television system.

52. (previously presented) The method of claim 41, wherein receiving selections of new contacts from the user comprises:

receiving a new contact from a list stored in an external electronic device.

53. (original) The method of claim 41, wherein each contact of the list of contacts further has an associated visual identifier viewable by a user to identify an associated contact, and wherein displaying at least a portion of the list of contacts on the display device further comprises displaying at least a portion of the visual identifiers.

54. (original) The method of claim 53, wherein at least one visual identifier comprises a plurality of characters forming a name of the contact with which the visual identifier is associated.

55. (original) The method of claim 53, wherein at least one visual identifier comprises a picture of the contact.

56. (original) The method of claim 53, wherein at least one visual identifier comprises an iconic symbol.

57. (original) The method of claim 41, wherein the interactive television system comprises an output device for generating audible output, wherein the remote control comprises an input device for capturing an audio signal including the audible output, the method further comprising:

canceling the audible output from captured audio signal.

58. (original) The method of claim 41, wherein the interactive television system comprises an output device for generating audible output, wherein the remote control comprises an input device for capturing an audio signal, the method further comprising:

suppressing the audible output when the input device is capturing an audio signal.

59. (currently amended) A method of providing two-way communication over an interactive television system, the interactive television system including a remote control to control operation of the interactive television system, the remote control having a memory, a display device, a plurality of user controls, a wireless transmitter, a wireless receiver, a microphone, and a speaker, the method comprising:

storing a list of contacts in the memory, each contact of the list of contacts being represented by an address for establishing communication with the contact via the interactive television system and a picture for selecting the contact;

displaying at least a portion of the ~~pictures representing~~ contacts on the display device;

detecting a user selection of a ~~picture representing a particular contact~~ from the list;

transmitting the address associated with the selected contact to the interactive television system;

establishing a two-way communication channel between the user and the selected contact using the interactive television system;

capturing audio input via the microphone in the remote control, the audio input including both a user's voice and television audio output;

substantially removing the television audio output from the captured audio input by obtaining a television audio output signal directly from a set top box before it is reproduced by a television and cancelling the television audio output signal from the captured audio input; and

transmitting the audio input from which the television audio output has been substantially removed to the interactive television system via the wireless transmitter;

~~receiving audio output from the interactive television system via the wireless receiver; and~~

~~outputting the audio output via the speaker in the remote control.~~

60. (currently amended) A remote control for an interactive television system, the remote control comprising:

a memory to store a list of contacts, each contact having an associated address for establishing communication with the contact via the interactive television system;

a display device to display at least a portion of the list of contacts;

a plurality of user controls to receive a user selection of a contact from the list;

at least one dedicated user control to remotely operate the interactive television system; and

a contact entry component to receive user selections of new contacts to be entered into the list of contacts from a displayed list without requiring the user to enter information about the new contacts, wherein the user selections are made in response to activation of a designated button on the remote control.

61. (new) The remote control of claim 1, wherein pressing the single button initiates a contact selection mode for displaying the list of contacts that can be selectively added to the contact list and allowing the user to navigate the list to make a selection.



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**